



SUSTAINABLE | DURABLE | INNOVATION

# HEMPBOARD™

## TECHNICAL DATA SHEET

<b>Density:</b>	ASTM D-729	35 lb/cuft
<b>Flexure Stress:</b>	ASTM D-790	3,250 PSI
<b>Flexural Modulus:</b>	ASTM D-790	348,680 PSI
<b>Compressive Stress:</b>	ASTM C-365	1480 PSI
<b>Compressive Modulus:</b>	ASTM C-365	38,100 PSI
<b>Water Absorption:</b>	ASTM C-272	10%
<b>Fastener Pull Out:</b>	ASTM D-1761	191 lb (#10)

Customers are responsible for determining whether products and information are appropriate for their use, including for the evaluation of all applicable laws. Boardwurks LLC assumes no liability for the accuracy or completeness of information contained herein, and such information is subject to change without notice. No Warranty of any kind, either express or implied, is made by this technical data sheet. All implied warranties of merchantability of fitness for a particular purpose are expressly excluded.

[Boardwurks.com](http://Boardwurks.com)